AD

AD 668622

THE AERODYNAMIC ROUGHNESS OF THE COMPLEX TERRAIN OF WHITE SANDS MISSILE RANGE, NEW MEXICO

By Frank V. Hansen

ATMOSPHERIC SCIENCES LABORATORY

WHITE SANDS MISSILE RANGE, NEW MEXICO


MAY 10 1968

Distribution of this report is unlimited



DDC AVAILABILITY NOTICE

Distribution of this report is unlimited.



DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed. Do not return it to the originator.

DISCLAIMER

The findings in this report are not to be construed as an oil, oil Department of the Army position, unless so designated by other authorized documents

THE AURODYNAMIC ROUGHNESS OF THE COMPLIX TERRAIN OF WITTE SANDS MISSILE RANGE, NEW MEXICO

Ву

Frank V. Hansen

ECOM - 5093 January 1967

DA TASK 1V014501B53A-10

Distribution of this report is unlimited.

ATMOSPHERIC SCIENCES LABORATORY
THITE SANDS LISSIE PANGE
NEW MEXICO

ABSTRACT

The acrodynamic roughness of the extremely complex terrain at Thite Sands Miscile Range has been examined through the analyses of wind and temperature profiles measured on the 62-meter meteorological research tower. The roughness length zo was considered as a function of the season and the direction of the mean flow. There was an apparent correlation between the roughness length and the growing season with variations in zo from approximately 10 cm in January to 22.5 cm in July. Variations of nearly 60 cm were noted when zo was considered on a directional basis.

CONTENTS

	Page
ABSTRACT	iii
IN TRODUCT ION	1
SITE DESCRIPTION	1
THE ROUGHNESS LENGTH	2
THE AERODYNAMIC ROUGHNESS OF AN EXTREMELY COMPLEX	
TERRAIN	4
DISCUSSION	6
CONCLUSIONS	7

INTRODUCTION

The determination of the aerodynamic roughness of the surface in the immediate vicinity of a data collection site is a basic requirement of any study pertaining to the turbulent characteristics of the planetary boundary layer. An aerodynamically rough surface may be defined as one on which the irregularities are large enough to prevent the formation of a laminar sublayer so that the mean flow is effectively turbulent down to the surface (Schlichting, 1960). If the surface is homogeneous with a random distribution of roughness elements, the roughness length may be determined from surface drag measurements, observed neutral profiles, or thermally stratified data and application of diabatic surface boundary layer hypotheses. The roughness length is an indicator of the effective aerodynamic roughness of a surface defined as the height where the velocity profile extrapolates to zero. Unfortunately, a homogeneous surface that allows the development of equilibrium flow from all directions and during all seasons is rare; thus the aerodynamic roughness becomes a function of the local terrain and the vegetive canopy, making the roughness length difficult to determine on a representative basis. Experimental data must be carefully analyzed in terms of small-scale local terrain features and in terms of the growing season.

The purpose of this paper is to examine the roughness length of the terrain in the licinity of the 62-meter meteorological research tower at White Sands Missile Range as a function of season, wind direction, and the vegetive canopy. The terrain in the tower locale is extremely complex and not homogeneous in all directions, but is considered typical for WSMR. Consequently, the mean flow is not in equilibrium with the surface at all times.

SITE DESCRIPTION

The tower is located in an area that consists of small brush-covered hillocks one to three meters high and randomly distributed. Patches of sand, gravel, native vegetation, i.e., bunch grass, pigweed, and Russian thistle (tumbleweeds) are interspersed between hillocks. The brushy portion of the vegetation consists of mesquite, greasewood, and desert willow.

Modifications to the natural terrain such as clearing, leveling, construction of buildings, etc. contribute to the overall heterogeneity of the surroundings since the tower is located in an area of extensive human activity. A portion of the natural terrain west of the tower remained undisturbed and provided a quasi-homogeneous fetch of approximately 4 kilometers from 220 degrees through 350 degrees, during the first data collection period from April 1958 through April 1960. The determination of the roughness length has been restricted to the times when the mean wind was across this 130-degree sector.

Modification to the terrain in this sector occurred during the second data collection period from January 1962 through October 1963. Approximately two acres were cleared and leveled west of the tower site, giving an 85-meter fetch across bare sand to the natural terrain and vegetation. This new roughness discontinuity altered the mean flow turbulent characteristics of the experimental site drastically.

Data collected in the first observational period are representative of equilibrium flow over a quasi-homogeneous surface, whereas those of the second period possess non-homogeneous turbulent characteristics.

THE ROUGHNESS LENCTH

Sutton (1953) states that the roughness length of a surface may be approximated from

$$z_{o} = c/c \tag{1}$$

where z_0 is the roughness length, z the average height of the roughness elements, and C is a constant usually taken as numerically equal to 30 based on the work of Nikuradse (See Sutton, 1953, and Schlichting, 1960).

For conditions of fully rough turbulent flow in the surface boundary layer of the atmosphere in neutral stratification, the differential equation for the velocity profile may be written as

$$\frac{\partial \overline{V}}{\partial z} = \frac{u_*}{kz} \tag{2}$$

where \overline{V} is the mean norizontal velocity, $u_{\mathbf{x}}$ the dynamic friction velocity, k is Karman's constant and z is height. Integration yields

$$\overline{V} = \frac{u_*}{K} \left(\ln \frac{z}{z_0} \right) \tag{3}$$

where z becomes a constant of integration. Over extremely rough surfaces, those covered with high vegetation, i.e., cereal grains or trees, the velocity profile becomes more complex and (3) does not hold. An empirical correction in the form of a zero-plane displacement factor, d, can be introduced in the form

$$\overline{V} = \frac{u_{+}}{F} \left[\ln \frac{z - d}{z_{o}} \right] \tag{4}$$

Equation (4) may be stated as (Lemon, 1963)

$$\overline{V}_{z_g} + D = \frac{u_s}{k} \left[\ln \left(\frac{z_g + D}{z_o} \right) \right]$$
 (5)

where z is the geometric mean of the levels of interest and D = d + $^{6}z_{o}$, the "effectiveness displacement parameter". Equations (3), (h), and (5) may be solved graphically or algebraically for numerical values of D, d, and z_{o} if representative neutral wind profiles are available.

In the atmosphere is thermally stratified, equations (3) through (5) no longer provide a valid solution for the wind profile. It has been demonstrated by Ponin and Chakhov (1961). Pusinger (1961), Panofsky (1963) and others, that is distable conditions the wind profile can be represented by

$$\overline{\nabla} = \frac{\gamma_{ss}}{\pi} - \left(\cos \frac{\pi}{\pi} \pm \sqrt{\frac{\pi}{2}} \right) \mathbf{I}$$
 (6)

where $\psi(z/L^i)$ is a universal function and L' is the Panofsky, Blackadar, and McVehil (1960) gradient length. Equation (6) predicts a straight line if the velocity is plotted as a function of $\ln z - \psi$ with z_0 as the intercept.

The universal function $\psi(z/L')$ is a stability correction factor that has been developed empirically outside the basic structure of the Monin-Obukhov Similarity Theory to compensate for thermal stratification effects on the wind profile. A reasonably good fit to experimental data can be obtained with Equation (6) in the stability range 0.08 > Ri > -0.10 (at a reference height of 1.5 meters) where Ri is the gradient form of the Richardson number.

Restrictions on the use of Equations (3), (5), and (6) for graphical or algebraic determination of the roughness length for an experimental data site depend on the thermal stratification of the boundary layer, surface homogeneity, or lack of it, stationarity of the mean flow and growth or decline of the vegetive canopy. With these limitations and restrictions in mind, experimental data measured on the 62-meter research tower were used to determine the roughness length of the typical terrain of White Sands Missile Range.

THE AERODYNAMIC ROUGHNESS OF AN EXTREMELY COMPLEX TERRAIN

During the 25-month period from April 1958 to April 1960, 1611 profiles of wind and temperature for the first 62 meters of the planetary boundary layer were collected. The raw data consisted of 10-minute averages from nine levels on the tower observed eight times a day (0100, 0400, 0700, 1000, 1300, 1600, 1900, and 2200 hours MST). Analyses of these data by Carnes (1961), Tourin and Hoidale (1961), and Swanson and Cramer (1965) indicated that a majority of the samples had been observed under conditions that were sufficiently stationary and homogeneous to permit detailed analysis of the data to establish the aerodynamic roughness of the surface.

Cwing to the nature of the terrain and the effect of vegetation on the apparent surface roughness, the analysis considered the season and the mean wind direction across the 130-degree sector to compensate for the homogeneous surface. Profiles observed during the afternoon hours were

treated with caution owing to the possibility of induced error (McCready, 1966).

Usable profiles were first classified by stability regime, utilizing the nine regime scheme of Hansen (1966). Richardson numbers for each profile were computed from

$$Ri = \frac{\varepsilon}{\overline{T}} \frac{\Delta \overline{T} + \overline{\Gamma}}{(\Delta u)^2 + (\Delta v)^2} z_{\varepsilon} \ln \frac{z_2}{z_1}$$
 (7)

where g is the acceleration of gravity, T the mean temperature in degrees Kelvin, u and v the north-south and eastwest components of the mean wind, T the adiabatic labse rate (=0.0098 deg km⁻¹), and z the geometric mean of the layer z, - z, where the subscripts indicate the level of interest. Only those profiles where the value of Ri was within the limits 0.08 > Ri > -C.4 at 7.4 meters were used in the analysis, with emphasis on neutral profiles when possible. Graphical solutions to Equations (3), (5), and (6) were fitted to the experimental tower data for observations below approximately 16 meters. Above this level, direction can no longer be considered invariant with height, and the approach to the geostrophic wind enters into the solution. Stability corrections to the diabatic profiles were obtained from Hansen (1966a) and are based on the KEYPS function which is considered the most reliable and simplest to use of the Similarity Theory log-linear profile hypotheses.

Average values of the roughness length for the research tower site by time of year and wind direction are shown in Figures 1 and 2. There is a correlation between seasonal values and the growing season, with minimum z occurring in January and a maximum in July which represents the rainy season for the area. The directional dependence of the roughness length correlates very well with the isoline analysis of the turbulence intensity measurements of Horn and Trawle (1964).

The second observational period of 1962-1963 gave approximately 2000 hours of data that are considered to be non-homogeneous owing to the roughness discontinuity created by the sandy area west of the tower site. Sutton (1953), Priestley (1959), and Lumley and Panofsky (1964) show that the roughness of bare sand should yield a zo value on the order of 0.1 cm, while Sellers (1965) indicates zo's in the neighborhood of

0.03 to 0.05 cm for a similar soil surface hear Tucson, Arizona. Application of graphical profile analysis techniques to selected samples of the 1962-1963 data gave a roughness length of 1.99 cm with a ±0.79 cm RMS error which is indicative of the heterogeneity of the mean flow across the roughness discontinuity. Using the approach of Philip (1959), Dear (1963), Rider, Philip, and Bradlev (1963), and Panofsky and Townsend (1964) it was found that at 1.5 meters above the surface, the wind profile was less than two percent adjusted to the new surface after traversing the 05-meter feach. It is clear that the nonequilibrium conditions existing at the plane of measurement resulted in the erroneous 1.99 cm roughness length for the bare sand fetch as compared with the inferred value of 0.1 cm.

DISCUSSION

Panofsky (1963) has demonstrated the effect of disturbing the natural vegetation of an area when the experimental site was mowed during the Great Flains Turbulence Study (See Lettau and Davidson, 1957), changing the roughness length approximately 30 percent. Halstead (1957) has shown that the surface roughness at the O'Neill, Nebraska, site of Project Prairie Grass (See Haugen, 1958, and Barad, 1959) varied from 0.5 to 1.1 cm owing to changes in vegetation and to differences in wind direction across a quasi-homogeneous terrain. These causes and effects exist at the WSNR tower site. The change of surface roughness, as a function of wind direction and season, is directly attributable to the growth and defoliation of the vegetive canopy and a nonuniform terrain.

The current investigation reveals that the terrain in the vicinity of the tower is extremely rough and not homogeneous with wind direction or seasons. The mean of all roughness lengths determined for the site was 17.4 cm. An inspection of Figures 1 and 2 reveals that this is a reasonable value for the annual roughness regime, but could be unrealistic, especially when the directional data are considered. The best fits to experimental data are obtained by use of the directional roughness length values, although the annual regime curve will yield acceptable results within the limit of experimental error (± 10 per cent). For wind directions other than those within the 130-degree sector, it was found that a reasonable estimate for z was approximately 20 cm which gives solutions within ± 20 per cent.

It was noted that a zero plane displacement correction to the experimental data was not necessary even during the periods in which the brushy portion of the vegetation was in full leaf. It appears that the hardy desert bush is flexible to the roint that little or no bending occurs even with brisk wind conditions.

The terrain modification, which occurred before the 1962-1963 data collection period, resulted in a roughness discontinuity of about 100-220 to 1, approximately 85 meters west of the tower. An investigation of wind and temperature profiles observed when the mean flow was across the discontinuity (Tansen and Hansen, 1965) showed that "kinking" of the profiles occurred, and a distinct internal momentum boundary formed with an interface approximately 8.5 meters above the surface. This agrees with the hypotheses of Elliott (1958) and Tanofsky and Townsend (1964) that predict the interface to have a height-to-fetch ratio of 1:10.


The abrupt roughness change has little effect on the magnitude of the lateral and longitudinal intensities of turbulence observed at the tower as noted by Honsen (1966) who found few differences in these parameters when they were command with values of Swanzon and Gramer (1965) for the 1951-1960 data. The major contribution of surface discontinuity was the generation of nonequilibrium flow and the internal momentum boundary.

CONCLUSIONS

The aerodynamic roughness of an experimental site may be determined from the analysis of wind and temperature profiles if the mean flow is considered to be stationary and homogeneous across a sufficiently long uniform fetch to insure equilibrium conditions. The growth of vegetation and slight nonuniformities in the surface with respect to wind direction are other considerations. The surface roughness of a sparsely vegetated and extremely uneven terrain can be determined if caution is exercised in the analysis of the profile data.

Modifications to the natural terrain have been shown to affect the aerodynamic characteristics of a surface to the extent that the mean flow is no longer in equilibrium

with the underlying surface. The resultant nonhomogeneous turbulent flow completely negates the use of conventional profile analysis techniques for determining surface roughness and forces the use of estimated values. The results presented in Figures 1 and 2 are considered to be representative of the roughness length in the vicinity of the 62-meter research tower, whereas the estimate of 0.1 cm for the 85-meter bare fetch can be in error.






FIGURE 2. THE AVERAGE ROUGHNESS LENGTH BY DIRECTION FOR THE SUMMER, SPRING, FALL AND WINTER SEASONS FOR WHITE SANDS MISSILE RANGE, NEW MEXICO.

REFERENCES

- Barad, M. L., (1959) "Project Prairie Grass, A Field Program in Diffusion," Vol. II, Geophysical Research Papers No. 59, Geophysics Research Directorate, Air Force Cambridge Research Center, Bedford, Massachusetts.
- Businger, J. A., (1961) "On the Relation Between Spectra of Turbulence and the Diabatic Wind Profile," J. Geophys. Res. 66, 2405.
- Carnes, P. S., (1961) "Temperature Variations in the First 200 feet of the Atmosphere in a Semi-Arid Region," U. S. Army Signal Missile Support Agency, White Sands Missile Range, New Mexico.
- Dyer, A. J., (1963) "The Adjustment of Profiles and Eddy Fluxes," Quart, J. Roy. Meteor. Soc. 89, 276.
- Elliott, W. P., (1958) "The Growth of the Atmospheric Internal Boundary Layer," Trans. Am. Geophys. Un. 39, 6, 1048.
- Halstead, M. H., (1957) "Forecasting Micrometeorological Variables," Final Report, Contract AF19(604)-1117, The A & M College of Texas, College Station, Texas.
- Hansen, F. V., (1966) "Comparison of Nine Frofile Models for the Diabatic Boundary Layer," Atmospheric Sciences Office, Atmospheric Sciences Laboratory, U. S. Army Electronics Command, White Sands Missile Range, New Mexico.
- Hansen, F. V., (1966) "The Lateral Intensity of Turbulence as a Function of Stability," (In Press).
- Hansen, F. V. and P. S. Hansen (1965) "The Formation of an Internal Boundary Over Heterogeneous Terrain," C. S. Army Electronics Researach and Development Activity, White Sands Missile Range, New Mexico.
- born, J. D. and E. J. Trawle (1964) "Prographic Effects in Wind Variability." U. S. Army Electronics Research and Development Actions, white Sands Mindle Fance, New Mexico.

- Hougen, D. A. (1958) "Project Prairie Grass, A Field Program in Diffusion," Vol. III, Geophysics Pesearch Papers No. 59, Geophysics Research Directorate, Air Force Cambridge Research Center, Bedford, Massachusetts.
- Lettau, H. H. and B. Davidson (1957) Exploring the Atmosphere's First Mile, Vol. 1 and 2, Pergamon Press, New York.
- Lumley, J. L., and H. A. Panofsky (1964) The Structure of Atmospheric Turbulence, John Wiley & Sons, New York.
- Monin, A. S. and A. M. Obukhov (1954) "Basic Regularity in Turbulent Mixing in the Surface Layer of the Atmosphere," Trudy Geophys. Inst. ANSSSP, 24, 163.
- McCready, P. B., (1966) "Mean Wind Speed Measurements in Turbulence," J. Appl. Meteor. 5, 2, 219.
- Fanofsky, H. A., (1963) "Determination of Stress From Wind and Temperature Heasurements," Quart. J. Roy. Meteor. Soc., 89, 85.
- Fanofsky, H. A., A. K. Blackadar and C. L. FeVehil (1960) "The Diabatic Wind Profile," <u>Quart. J. Pey Feteor. Poc.</u>, 96, 310.
- Penofsky, H. A., and A. A. Townsend (1964) "Change of Terrain Poughness and the Wind Profile," Quart. J. Roy. Meteor. Soc., 90, 147.
- Philip, J. K. (1959) "The Theory of Local Advection-1," J. Meteor. 16, 5, 535.
- Priestley, C. H. B. (1959) "Turbulent Transfer in the Lower Atmosphere," Univ. of Chicago Press, Illinois.
- Fider, N. E., J. F. Fhilip, and E. F. Bradley (1963) "The Horizontal Transport of Heat and Moisture-A Micrometeorological Study," Quart. J. Loy. Meteor. Soc., 89, 507.
- Schlicting, H., (1960) Boundary Layer Theory, CoCraw-Hill, New York.
- Sellers, W. D., (1960) "An Investigation of Heat Transfer From Bare Soil," Grant No. DA-AMC-28-043-65-G-11 Inst. of Atmos. Phys. The University of Arizona, Tucson, Arizona.

Sutton, C. G., (1953) Micrometeorology, McGraw-Hill, New York.

The second of th

- Swanson, R. N. and H. E. Cramer (1965) "A Study of Lateral and Longitudinal Intensities of Turbulence," J. Appl. Meteor. 4, 409.
- Tourin, M.H., and M. M. Hoidale (1962) "Low Level Turbulence Characteristics at White Sands Missile Range," U. S. Army Signal Missile Support Agency, White Sands Missile Range, New Mexico.

ATMOSPHERIC SCIENCES RESEARCH PAPERS

- Webb, W.L., "Development of Droplet Size Distributions in the Atmosphere," June 1954.
- Hansen, F. V., and H. Rachele, "Wind Structure Analysis and Forecasting Methods for Rockets," June 1954.
- Webb, W. L., "Net Electrification of Water Droplets at the Earth's Surface," J. Meteorol., December 1954.
- Mitchell, R., "The Determination of Non-Ballistic Projectile Trajectories," March 1955.
- Webb, W. L., and A. McPike, "Sound Ranging Technique for Determining the Tra-
- jectory of Supersonic Missiles," #1, March 1955.

 Mitchell, R., and W. L. Webb, "Electromagnetic Radiation through the Atmosphere," #1, April 1955.
- Webb, W. L., A. McPike, and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #2, July 1955.

 Barichivich, A., "Meteorological Effects on the Refractive Index and Curvature of
- Microwaves in the Atmosphere," August 1955.
 Webb, W. L., A. McPike and H. Thompson, "Sound Ranging Technique for Determining the Trajectory of Supersonic Missiles," #3, September 1955.
- Mitchell, R., "Notes on the Theory of Longitudinal Wave Motion in the Atmosphere," February 1956.
 , "Particulate Counts in Natural Clouds," J. Meteorol., April 1956.
- Webb, W. L., "Particulate Counts in Natural Clouds, W. L., "Wind Effect on the Aerobee," =1, May 1956.

 Anderson "Wind Effect on the Aerobee 11.
- 12.
- 13.
- Rachele, H., and L. Anderson, "Wind Effect on the Aerobee," #2, August 1956. Beyers, N., "Electromagnetic Radiation through the Atmosphere," #2, January 1957. Hansen, F. V., "Wind Effect on the Aerobee," #3, January 1957.
- 15.
- 16.
- Kershner, J., and H. Bear, "Wind Effect on the Aerobee," =4. January 1957. Hoidale, G., "Electromagnetic Radiation through the Atmosphere," =3, February 17. 1957.
- Querfeld, C. W., "The Index of Refraction of the Atmosphere for 2.2 Micron Radiation," March 1957.

 White, Lloyd, "Wind Effect on the Aerobee," ±5, March 1957. 18.
- 19.
- Kershner, J. G., "Development of a Method for Forecasting Component Ballistic 20. Wind." August 1957.
- 21
- Leyton, Ivan, "Atmospheric Particle Size Distribution," December 1957. Rachele, Henry and W. H. Hatch, "Wind Effect on the Aerobee," #6, February 22.
- Beyers, N. J., "Electromagnetic Radiation through the Atmosphere," #4, March 23. 1958.
- Prosser, Shirley J., "Electromagnetic Radiation through the Atmosphere," #5, 24. April 1958.
- Armendariz, M., and P. H. Taft, "Double Theodolite Ballistic Wind Computations," 25. June 1958
- Jenkins, K. R. and W. L. Webb, "Rocket Wind Measurements," June 1958
- Jenkins, K. R., "Measurement of High Altitude Winds with Loki," July 1958 27.
- Hoidale, G. "Electromagnetic Propagation through the Atmosphere," =6, Febru-28.ary 1959.
- McLardie, M., R. Helvey, and L. Traylor, "Low-Level Wind Profile Prediction Techniques," #1, June 1959.
- 30.
- Lamberth, Roy, "Gustiness at White Sands Missile Range," #1, May 1959. Beyers, N. J., B. Hinds, and G. Hoidale, "Electromagnetic Propagation through the 31. Atmosphere," #7, June 1959.
- Bevers, N. J., "Radar Refraction at Low Elevation Angles (U)," Proceedings of the 32. Army Science Conference, June 1959.
- 33. White, L., O. W. Thiele and P. H. Taft, "Summary of Ballistic and Meteorological Support During IGY Operations at Fort Churchill, Canada," August 1:
- Hainline, D. A., "Drag Cord-Aerovane Equation Analysis for Computer Application," 34 August 1959. Hoidale, G. B., "Slope-Valley Wind at WSMR," October 1959.
- Webb, W. L., and K. R. Jenkins, "High Altitude Wind Measurements." J. Meteorol., 16, 5, October 1959.

- 37. White, Lloyd, "Wind Effect on the Aerobee," #9, October 1959.
- Webb, W. L., J. W. Coffman, and G. Q. Clark, "A High Altitude Acoustic Sensing System," December 1959.
- Webb, W. L., and K. R. Jenkins, "Application of Meteorological Rocket Systems," J. Geophys. Res., 64, 11, November 1959. **39**.
- Duncan, Louis, "Wind Effect on the Aerobee," #10, February 1960. 40.
- Helvey, R. A., "Low-Level Wind Profile Prediction Techniques," #2, February 1960. 41.
- Webb, W. L., and K. R. Jenkins, "Rocket Sounding of High-Altitude Parameters,"

- Proc. GM Rel. Symp., Dept. of Defense, February 1960.

 A.mendariz, M., and H. H. Monahan, "A Comparison Between the Double Theodolite and Single-Theodolite Wind Measuring Systems," April 1960.

 Jenkins, K. R., and P. H. Taft, "Weather Elements in the Tularosa Basin," July 1960.

 Beyers, N. J., "Preliminary Radar Performance Data on Passive Rocket-Borne Wind Sensors," IRE TRANS, MIL ELECT, MIL-4, 2-3, April-July 1960.

 Webb, W. L., and K. R. Jenkins, "Speed of Sound in the Stratosphere," June 1960.

 Webb W. L. K. R. Jenkins, and G. O. Clark, "Rocket Sounding of High Atmo-
- Webb, W. L., K. R. Jenkins, and G. Q. Clark, "Rocket Sounding of High Atmosphere Meteorological Parameters," IRE Trans. Mil. Elect., MIL-4, 2-3, April-July 1960.
- 48. "Low-Level Wind Profile Prediction Techniques," #3, September Helvey, R. A., 1960.
- Beyers, N. J., and O. W. Thiele, "Meteorological Wind Sensors," August 1960. 49.
- Armijo, Larry, "Determination of Trajectories Using Range Data from Three Non-colinear Radar Stations," September 1960. Carnes, Patsy Sue, "Temperature Variations in the First 200 Feet of the Atmo-50.
- 51. sphere in an Arid Region," July 1961.
- 52. Springer, H. S., and R. O. Olsen, "Launch Noise Distribution of Nike-Zeus Mis-
- siles," July 1961.

 Thiele, O. W., "Density and Pressure Profiles Derived from Meteorological Rocket Measurements." September 1961.

 Diamond, M. and A. B. Gray, "Accuracy of Missile Sound Ranging," November 53.
- **54**.
- Lamberth, R. L. and D. R. Veith, "Variability of Surface Wind in Short Distances," #1, October 1961. Swanson, R. N., "Low-Level Wind Measurements for Ballistic Missile Application,"
- 56. January 1962
- Lamberth, R. L. and J. H. Grace, "Gustiness at White Sands Missile Range," #2, 57. January 1962
- Swanson, R. N. and M. M. Hoidase, "Low-Level Wind Profile Prediction Tech-58. niques," #4, January 1962.
- Rachele, Henry, "Surface Wind Model for Unguided Rockets Using Spectrum and Cross Specum Techniques," January 1962. 59.
- Rachele, Henry, "Sound Propagation through a Windy Atmosphere," #2, Febru-60. ary 1962.
- Webb, W. L., and K. R. Jenkins, "Sonic Structure of the Mesosphere," J. Acous.
- Soc. Amer., 34, 2, February 1962.

 Tourin, M. H. and M. M. Hoidale, "Low-Level Turbulence Characteristics at White Sands Missile Range," April 1962. 62
- 63. Miers, Bruce T., "Mesospheric Wind Reversal over White Sands Missile Range," March 1962
- Fisher, E., R. Lee and H. Rachele, "Meteorological Effects on an Acoustic Wave within a Sound Ranging Array." May 1962
- 65.
- Walter, E. I., "Six Variable Ballistic Model for a Rocket," June 1962. Webb, W. L., "Detailed Acoustic Structure Above the Tropopause," J. Applied Meteorol., 1, 2. June 1962.
- Jenkins, K. R., "Empirical Comparisons of Meteorological Rocket Wind Sensors," J.
- Appl. Meteor., June 1962.

 Lamberth, Roy, "Wind Variability Estimates as a Function of Sampling Interval," July 1962
- Rachele, Henry, "Surface Wind Sampling Periods for Unguided Rocket Impact Prediction," July 1962. 69.
- Traylor, Larry, "Corie's Effects on the Aerobee-Hi Sounding Rocket," August 1962. McCoy, J., and G. Q. 'rk, "Meteorological Rocket Thermometry," August 1962.
- Rachele, Henry, "Real-Time Prelaunch Impact Prediction System," August 1962.

- Beyers, N. J., O. W. Thiele, and N. K. Wagner, "Performance Characteristics of Meteorlogical Rocket Wind and Temperature Sensors," October 1962.
- Coffman, J., and R. Price, "Some Errors Associated with Acoustical Wind Measurements through a Layer." October 1962.
- 75. Armendariz, M., E. Fisher, and J. Serna, "Wind Shear in the Jet Stream at WS-MR," November 1962.
- Armendariz, M., F. Hansen, and S. Carnes, "Wind Variability and its Effect on Roc-76. ket Impact Prediction," January 1963.
- Querfeld, C., and Wayne Yunker, "Pure Rotational Spectrum of Water Vapor, I: Table of Line Parameters," February 1963. 77.
- Webb, W. L., "Acoustic Component of Turbulence," J. Applied Meteorol., 2, 2, 78. April 1963.
- 79 Beyers, N. and L. Engberg, "Seasonal Variability in the Upper Atmosphere," May 1963.
- 80. Williamson, L. E., "Atmospheric Acoustic Structure of the Sub-polar Fall," May 1963.
- Lamberth, Roy and D. Veith, "Upper Wind Correlations in Southwestern United States," June 1963.
- Sandlin, E., "An analysis of Wind Shear Differences as Measure 1 by AN FPS-16 Radar and AN GMD-1B Rawinsonde," August 1963.

 Diamond, M. and R. P. Lee, "Statistical Data on Atmospheric Design Properties Above 30 km," August 1963. 82.
- 83.
- Thiele, O. W., "Mesospheric Density Variability Based on Recent Meteorological Rocket Measurements," J. Applied Meteorol., 2, 5, October 1963.

 Diamond, M., and O. Essenwanger, "Statistical Data on Atmospheric Design Prop-84.
- erties to 30 km," Astro. Aero. Engr., December 1963.
- Hansen, F. V., "Turbulence Characteristics of the First 62 Meters of the Atmo-**86**. sphere," December 1963.
- 87. Morris, J. E., and B. T. Miers, "Circulation Disturbances Between 25 and 70 kilometers Associated with the Sudden Warming of 1963," J. of Geophys. Res., January 1954.
- 88.
- Thiele, O. W., "Some Observed Short Term and Diurnal V...... ons of Stratospheric Density Above 30 km." January 1964.

 Sandlin, R. E., Jr. and E. Armijo, "An Analysis of AN FPS-16 Radar and AN GMD-1B Rawinsonde Data Differences," January 1964.

 Miers, B. T. and N. J. Beyers, "Rocketsonde Wind and Temperature Measurements Between 30 and 70 km for Selected Stations." J. Applied Meterments 89.
- 90 ments Between 30 and 70 km for Selected Stations," J. Applied Meteorol., February 1964.
- Webb, W. L., "The Dynamic Stratosphere," Astronautics and Aerospace Engineers 91.
- 92.
- ing, March 1964.

 Low, R. D. H., "Acoustic Measurements of Wind through a Layer," March 1964.

 Diamond. M., "Cross Wind Effect on Sound Propagation," J. Applied Meteorol. 93. April 1964.
- Lee, R. P., "Acoustic Ray Tracing," April 1964.
- Reynolds, R. D., "Investigation of the Effect of Lapse Rate on Balloon Ascent Rate," May 1964.
- Webb, W. L., "Scale of Stratospheric Detail Structure," Space Research V. May **96**. 1964.
- Barber, T. L., "Proposed X-Ray-Infrared Method for Identification of Atmospheric Mineral Dust," June 1964.

 Thiele, O. W., "Ballistic Procedures for Unguided Rocket Studies of Nuclear Environ-97.
- 98.
- 99.
- ments (U)," Proceedings of the Army Science Conference, June 1964. Horn, J. D., and E. J. Trawle, "Orographic Effects on Wind Variability." July 1964. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the 100. Earth's Atmosphere in the 250 to 500 Wave Number Interval," #1. September 1964.
- 101. Duncan, L. D., R. Ensey, and B. Engebos, "Athena Launch Angle Determination."
- September 1964.

 Thiele, O. W., "Feasibility Experiment for Measuring Atmospheric Density Through 102. the Attitude Range of 60 to 100 KM Over White Sands Missile Range." October 1964.
- Duncan, L. D., and R. Ensey, "Six-Degree-of-Freedom Digital Simulation Model for Unguided, Fin-Stabilized Rockets," November 1964.

- 104. Hoidale, G., C. Querfeld, T. Hall, and R. Mireles, "Spectral Transmissivity of the Earth's Atmosphere in the 250 to 500 Wave Number Interval," #2, November 1964.
- Webb, W. L., "Stratospheric Solar Response," J. Atmos. Sci., November 1964. 105.
- McCoy, J. and G. Clark, "Rocketsonde Measurement of Stratospheric Temperature," 106. December 1964.
- Farone, W. A., "Electromagnetic Scattering from Radially Inhomogeneous Spheres 107. as Applied to the Problem of Clear Atmosphere Radar Echoes," December 1964.
- Farone, W. A., "The Effect of the Solid Angle of Illumination or Observation on the Color Spectra of 'White Light' Scattered by Cylinders." January 1965. 108.
- Williamson, L. E., "Seasonal and Regional Characteristics of Acoustic Atmospheres," 109. J. Geophys. Res., January 1965.
- 110.
- Armendariz, M., "Ballistic Wind Variability at Green River, Utah," January 1965. Low, R. D. H., "Sound Speed Variability Due to Atmospheric Composition," Janu-111 rv 1965.
- 112.
- Querfeld, C. W., 'Mie Atmospheric Optics," J. Opt. Soc. Amer., January 1965.
 Coffman, J., "A Measurement of the Effect of Atmospheric Turbulence on the Coherent Properties of a Sound Wave," January 1965. 113.
- Rachele, H., and D. Veith, "Surface Wind Sampling for Unguided Rocket Impact 114
- Prediction," January 1965.

 Ballard, H., and M. Izquierdo, "Reduction of Microphone Wind Noise by the Generation of a Proper Turbulent Flow," February 1965. 115.
- Mireles, R., "An Algorithm for Computing Half Widths of Overlapping Lines on Experimental Spectra," February 1965.

 Richart, H., "Inaccuracies of the Single-Theodolite Wind Measuring System in Ballistic Application," February 1965. 116.
- 117.
- D'Arcy, M., "Theoretical and Practical Study of Aerobee-150 Ballistics." March 118. 965.
- "Improved Method for the Reduction of Rocketsonde Temperature Da-119. McCoy, J., ta," March 1965.
 "Uniqueness Theorem in Inverse Electromagnetic Cylindrical Scatter-
- Mireles, R., 120. ing," April 1965.
- Coffman. J., "The Focusing of Sound Propagating Vertically in a Horizontally Stratified Medium," April 1965.

 Farone, W. A., al., C. Querfeld, "Electromagnetic Scattering from an Infinite Cir-121.
- 122. cular Cylinder at Oblique Incidence," April 1965.
- 123.
- Rachele, H., "So and Propagation through a Windy Atmosphere," April 1965.

 Miers, B., "Upper Stratospheric Circulation over Ascension Island," April 1965.

 Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measure-
- 125. ments," April 1965. Hoidale, G. B., "Meteorological Conditions Allowing a Rare Observation of 24 Mi-
- 126. cron Solar Radiation Near Sea Level," Meteorol. Magazine, May 1965. Beyers, N. J., and B. T. Miers, "Diurnal Temperature Change in the Atmosphere
- 127. Between 30 and 60 km over White Sands Missile Range," J. Atmos. Sci., May 1965.
- Querfeld, C., and W. A. Farone, "Tables of the Mie Forward Lobe," May 1965. 128.
- Farone, W. A., Generalization of Rayleigh-Gans Scattering from Radially Inhomogeneous Spheres," J. Opt. Soc. Amer., June 1965. 129.
- Diamond, M., "Note on Mesospheric Winds Above White Sands Missile Range," J. 130. Applied Meteorol., June 1965. Clark, G. Q., and J. G. McCoy, "Measurement of Stratospheric Temperature," J.
- 131. Applied Meteorol., June 1965.
- Hall, T., G. Hoidale, R. Mireles, and C. Querfeld, "Spectral Transmissivity of the 132. Earth's Atmosphere in the 250 to 500 Wave Number Interval," #3, July 1965.
- 133.
- 134.
- McCoy, J., and C. Tate, "The Delta-T Meteorological Rocket Payload," June 1964. Horn, J. D., "Obstacle Influence in a Wind Tunnel," July 1965. McCoy, J., "An AC Probe for the Measurement of Electron Density and Collision 135.
- Frequency in the Lower Ionosphere," July 1965.

 Miers, B. T., M. D. Kays, O. W. Thiele and E. M. Newby, "Investigation of Short 136. Term Variations of Several Atmospheric Parameters Above 30 KM, July 1965.

Serna, J., "An Acoustic Ray Tracing Method for Digital Computation," September 1965.

Webb. W. L., "Morphology of Noctilicent Clouds," J. Geophys. Res., 70, 18, 4463-4475 September 1965.

Kays, M., and R. J. Craig, "On the Order of Magnitude of Large-Scale Vertical Mo-

139. tions in the Upper Stratosphere." J. Geophys. Res., 70, 18, 4453-4482, September 1965

Rider, L., "Low-Level Jet at White Sands Missile Range," September 1965. 140.

Lamberth, R. L., R. Reynolds, and Morton Wurtele, "The Mountain Lee Wave at White Sands Missile Range," Bull. Amer. Meteorol. Soc., 46, 10, Octo-141. ber 1965.

Reynolds, R. and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," October 1965.

McCluney, E., "Theoretical Trajectory Performance of the Five-Inch Gun Probe 142.

143. System," October 1965

Pena, R. and M. Diamond, "Atmospheric Sound Propagation near the Earth's Surface," October 1965.

Mason, J. B., "A Study of the Feasibility of Using Radar Chaff For Stratospheric Temperature Measurements," November 1965.

Diamond, M., and R. P. Lee, "Long-Range Atmospheric Sound Propagation," J. Geophys. Res., 70, 22, November 1965. 146.

147.

Lamberth, R. L., "On the Measurement of Dust Devil Parameters," November 1965. Hansen, F. V., and P. S. Hansen, "Formation of an Internal Boundary over Heter-148.

149.

ogeneous Terrain," November 1965.
Webb, W. L., "Mechanics of Stratospheric Seasonal Reversals," November 1965.
U. S. Army Electronics R & D Activity, "U. S. Army Participation in the Meteorological Rocket Network," January 1966.

151. Rider, L. J., and M. Armendariz, "Low-Level Jet Winds at Green River, Utah," February 1966. Webb, W. L., "Diurnal Variations in the Stratospheric Circulation," February 1966.

152. Beyers, N. J., B. T. Miers, and R. J. Reed, "Diurnal Tidal Motions near the Strato-

pause During 48 Hours at WSMR," February 1966. ., "The Stratospheric Tidal Jet," February 1966. 154.

Hall, J. T., "Focal Properties of a Plane Grating in a Convergent Beam," February 155. 1966.

Duncan, L. D., and Henry Rachele, "Real-Time Meteorological System for Firing of Unguided Rockets," February 1966. 156.

Kays, M. D., "A Note on the Comparison of Rocket and Estimated Geostrophic Winds 157.

Rider, L., and M. Armendariz, "A Comparison of Pibal and Tower Wind Measurements," J. Appl. Meteor., 5, February 1966. 158.

159. Duncan, L. D., "Coordinate Transformations in Trajectory Simulations," February 1966.

Williamson, L. E., "Gun-Launched Vertical Probes at White Sands Missile Range," 160. February 1966.

161. Randhawa, J. S., Ozone Measurements with Rocket-Borne Ozonesondes," March

Armendariz, Manuel, and Laurence J. Rider, "Wind Shear for Small Thickness Layers," March 1966.

Low, R. D. H., "Continuous Determination of the Average Sound Velocity over an Arbitrary Path," March 1966. 162.

163.

Hansen, Frank V., "Richardson Number Tables for the Surface Boundary Layer,"
March 1966. 164. 165.

Cochran, V. C., E. M. D'Arcy, and Fiorencio Ramirez, "Digital Computer Program for Five-Degree-of-Freedom Trajectory," March 1966.

Thiele, O. W., and N. J. Beyers, "Comparison of Rocketsonde and Radiosonde Temp-166. eratures and a Verification of Computed Rocketsonde Pressure and Den-

eratures and a verification of Computed Rocketsonde Pressure and Density," April 1966.

Thiele, O. W., "Observed Diurnal Oscillations of Pressure and Density in the Upper Stratosphere and Lower Mesosphere," April 1966.

Kays, M. D., and R. A. Craig, "On the Order of Magnitude of Large-Scale Vertical Motions in the Upper Stratosphere," J. Geophy. Res., April 1966.

Hansen, F. V., "The Richardson Number in the Planetary Boundary Layer," May 167.

168.

1966.

- Ballard, H. N., "The Measurement of Temperature in the Stratosphere and Meso-
- sphere," June 1966. Hansen, Frank V., "The Ratio of the Exchange Coefficients for Heat and Momentum in a Homogeneous, Thermally Stratified Atmosphere," June 1966.
- Hansen Frank V., "Comparison of Nine Profile Models for the Diabatic Boundary Layer," June 1966. Rachele, Henry, "A Sound-Ranging Technique for Locating Supersonic Missiles," 172
- May 1966.
- Farone, W. A., and C. W. Querfeld, "Electromagnetic Scattering from Inhomogeneous Infinite Cylinders at Oblique Incidence," J. Opt. Soc. Amer. 56, 4, 476-174. 480, April 1966.
- Minimization Techniques." J. Opt. Soc. Amer. 56, 5, 644-647, May 1966. 175.
- Reynolds, &., and R. L. Lamberth, "Ambient Temperature Measurements from Radiosondes Flown on Constant-Level Balloons," J. Appl. Meteorol., 5, 3, 304-307, June 1966.
- Hall, James T., "Focal Properties of a Plane Grating in a Convergent Beam," Appl. 177.
- Opt. 5, 1051, June 1966
 Rider, Laurence J., "Low-Level Jet at White Sands Missile Range," J. Appl. Meteorol., 5, 3, 283-287, June 1966.
 McCluney, Eugene, "Projectile Dispersion as Caused by Barrel Displacement in the 178.
- 5-Inch Gun Probe System." July 1966.

 Armendanz, Manuel, and Laurence J. Rider, "Wind Shear Calculations for Small Shear Layers," June 1966. 180.
- Lamberth, Roy L., and Manuel Armendariz, "Upper Wind Correlations in the Central Rocky Mountains," June 1966.

 Hansen, Frank V., and Virgil D. Lang, "The Wind Regime in the First 62 Meters of 181.
- 182 the Atmosphere," June 1966.
 Randhawa, Jagir S., "Rocket-Borne Ozonesonde," July 1966.
 Rachele, Henry, and L. D. Duncan, "The Desirability of Using a Fast Sampling Rate
- 183.
- 184.
- for Computing Wind Velocity from Pilot-Balloon Data," July 1966. Hinds, B. D., and R. G. Papas, "A Comparison of Three Methods for the Cor-185. rection of Radar Elevation Angle Refraction Errors," August 1966. Riedmuller, G. F., and T. L. Barber, "A Mineral Transition in Atmospheric Dust
- 186. Transport," August 1966.
 Hall, J. T., C. W. Querfeld, and G. B. Hoidale, "Spectral Transmissivity of the
- Earth's Atmosphere in the 250 to 500 Wave Number Interval," Part IV (Final), July 1966.
- Duncan, L. D. and B. F. Engebos, "Jechniques for Computing Launcher Settings for Unguided Rockets," September 1966. 188.
- Duncan, L. D., "Basic Considerations in the Development of an Unguided Rocket 189.
- Trajectory Simulation Model," September 1966.

 Miller, Walter B., "Consideration of Some Problems in Curve Fitting," September 190. 1966.
- 191.
- 192.
- 193.
- Cermak, J. E., and J. D. Horn, "The Tower Shadow Effect," August 1966.
 Webb, W. L., "Stratospheric Circulation Response to a Solar Eclipse," October 1966.
 Kennedy, Bruce, "Muzzle Velocity Measurement," October 1966.
 Traylor, Larry E., "A Refinement Technique for Unguided Rocket Drag Coefficients," October 1966
 Nusbaum, Henry, "A Reagent for the Simultaneous Microscope Determination of 194.
- 195.
- Quartz and Halides," October 1966.

 Kays, Marvin and R. O. Olsen, "Improved Rocketsonde Parachute-derived Wind Profiles," October 1966. 196.
- Engebes, Bernard F. and Duncan, Louis D., "A Nomogram for Field Determina-197. tion of Launcher Angles for Unguided Rockets," October 1966. Webb, W. L., "Midlatitude Clouds in the Upper Atmosphere," November 1966.
- 198.
- Hansen, Frank V., "The Lateral Intensity of Turbulence as a Function of Stability," 199. November 1966.
- Rider, L. J. and M. Armendariz, "Differences of Tower and Pibal Wind Profiles," 200. November 1966.
- Lee, Robert P., "A Comparison of Eight Mathematical Models for Atmospheric Acoustical Ray Tracing," November 1966. 201.
- 202. Low, R. D. H., et al., "Acoustical and Meteorological Data Report SOTRAN I and II," November 1966.

203. Hunt, J. A. and J. D. Horn, "Drag Plate Balance," December 1966.
204. Armendariz, M., and H. Rachele, "Determination of a Representative Wind Profile from Balloon Data," December 1966.
205. Hansen, Frank V., "The Aerodynamic Roughness of the Complex Terrain of White Sands Missile Range," January 1967.

UNCLASSIFIED Security Classification				
فالمحرب فيتعاري بسامه الوروديون وفالتفائد فينسب وبوقاها ويتناك وجوري والمساب بمناك ويسووه والمساوا	HTROL DATA - R&		the armost respect to close (find)	
1 ORIGINATING ACTIVITY (Corporate author)	ing amprenon sider of a	نسيحين المناسبية	RI - ECURITY CLASSIFICATION	
U. S. Army Electronics Command Fort Monmouth, N. J.		Unclassified		
THE AERODYNAMIC ROUGHNESS OF THE COMPL NEW MEXICO	EX TERRAIN OF V	HITE SA	NDS MISSILE RANGE,	
4 DESCRIPTIVE NOTES (Type of report and inclusive dates)				
5 AUTHOR(5) (Leet name, first name, initial)				
Hansen, Frank V.				
·				
6 REPORT DATE January 1967	70- TOTAL HO. OF F	AGES	75. NO OF REFS	
88 CONTRACT OR GRANT NO.	13		26	
TO CONTRACT ON GRANT NO.	1			
å PROJECT NO.	ECOM-5063- 5/01)			
• DA TASK 1V014501B53A-10	3b. CTHER REPORT NO(5) (Any other numbers that guy be seeighed this report)			
d.				
10. AVAILABILITY/LIMITATION NOTICES				
Distribution of this report is unlimit	ed.			
11. SUPPLEMENTARY HOTES	12 SPONSORING MILITARY ACTIVITY			
1	U. S. Army Flectronics Command Atmospheric Sciences Laboratory			
	White Sands Missile Range, New Mexico			
13. ABSTRACT				
The aerodynamic roughness of the Missile Range has been examined through profiles measured on the 62-meter meter length z was considered as a function mean flow. There was an apparent corrective growing season with variations in to 22.5 cm in July. Variations of near on a directional basis.	th the analyses corological reserved to the season relation between z from approx.	of wind earch to and the ro imately	and temperature wer. The roughness direction of the oughness length and oughness lanuary	

KEY WORUS	LIN	K A	LINK B	CINK C
	*OL E		HOLE WT	HOLE N
1. Aerodynamic Roughness				
2. Mean Flow				
3. Boundary Layer				1
4. Wind Profiles	İ			
Vegetation			'	İ
-			,	1
			1	
	-			
			İ	
th.	ISTRUCTIONS			

- 1. ORIGINATING ACTIVITY: Enter the name and address of the contractor, subcontractor, grantee, Department of Defense activity or other organization (corporate author) issuing imposed by security classification, using stendard statements
- 2a. REPORT SECURITY CLASSIFICATION: Enter the overall security classification of the report. Indicate whether "Restricted Data" is included. Marking is to be in accordance with appropriate security regulations.
- 2b. GROUP: Automatic downgrading is specified in DoD Directive 5200.10 and Armed Forces Industrial Manual. Enter the group number. Also, when applicable, show that ontional markings have been used for Group 3 and Group 4 as authorized
- 3. REPORT TITLE: Enter the complete report title in all capital letters. Titles in all cases should be unclassified. If a meaningful title cannot be selected without classification, show title classification in all capitals in parenthesis immediately following the title.
- 4. DESCRIPTIVE NOTES: If appropriate, enter the type of report, e.g., interim, progress, summary, annual, or final. Give the inclusive dates when a specific reporting period is
- 5. AUTHOR(S): Enter the name(s) of author(s) as shown on or in the report. Enter last name, first name, middle initial. If military, show rank and branch of service. The name of the principal author is an absolute minimum requirement.
- 6. REPORT DATE: Enter the date of the report as day, month, year, or month, year. If more than one date appears on the report, use date of publication.
- 7a TOTAL NUMBER OF PAGES: The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- NUMBER OF REFERENCES. Enter the total number of references cited in the report.
- No. CONTRACT OR GRANT NUMBER: If appropriate, enter the applicable number of the contract or grant under which the report was written.
- 8b, 8c, & 8d. PROJECT NUMBER: Enter the appropriate military department identification, such as project number, subproject number, system numbers, tesk number, etc.
- 9. ORIGINATOP'S REPORT NUMBER(5) Enter the offi cial report number by which the document will be identified and controlled by the originating activity. This number must be unaque to this report.
- 96. OTHER REPORT NUMBER(S). If the report has been assigned any other report humbers (either by the originator or by the aponeor), also enter this number(s).

- imposed by security classification, using standard statements
 - (1) "Qualified requesters may obtain copies of this report from DDC."
 - (2) "Foreign announcement and dissemination of this report by DDC is not authorized."
 - (3) "U.S. Government agencies may obtain copies of this report directly from DDC. Other qualified DDC users shall request through
 - (4) "U. S. military agencies may obtain copies of this report directly from DDC. Other qualified users shall request through
 - (5) "All distribution of this report is controlled. Qualified DDC users shall request through

If the report has been furnished to the Office of Technical Services, Department of Commerce, for sale to the public, indicate this fact and enter the price, if known-

- IL SUPPLEMENTARY NOTES Use for additional explanatory notes.
- 12. SPONSORING MILITARY ACTIVITY. Enter the name of the departmental project office or laboratory sponsoring (pa) ing (or) the research and development. Include address.
- 13 ABS PACT Enter an abstract giving a brief and factual aummary of the document indicative of the report even though it may also appear vlackhere in the body of the technical report. If additional apace is required a continuation sheet shall be attached.

It is highly desirable that the abstract of classified reports by unclassified. Each paragraph of the abstract shall and with an indication of the military sociality classification of the information in the paragraph represented as TS. S.

There is no limitation on the length of the sharract. However, the suggested length is $f_{\rm C} \approx 150~\rm cm^{2}25$ words

eyer the suggested length is for 1 to 1 to 2 words.

14 KEY BORDS. Key words are for his alls measuraful terms or short phrases that characterize a report and may be used as index entries for estaloging the report. Key words must be selected so that in security classification is required. Iden force, such as equipment in del designation trade name rill rary project code name goignaphy location may be used as key words but will be followed by an indication of rechnical context. The assignment of lines rules, and weights is